

AEROSOL LEMON PLEDGE



MATERIAL SAFETY DATA SHEET - E114440

Serial No: 003


Issue Date: 07/25/88

Supersedes Date: 00/00/00

PRODUCT INFORMATION

PRODUCT NAME: AEROSOL LEMON PLEDGE
PRODUCT USE: COMMERCIAL FURNITURE CLEANER/POLISH

This sheet refers to product codes: Pack Size



4447

12 /500 g



* This product is not WHMIS regulated.

HAZARDOUS MATERIALS INFORMATION SYSTEM RATINGS

HEALTH: 0
FLAMMABILITY: 4
REACTIVITY: 0
SPECIAL WARNING:

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION :
NOT REQUIRED
VENTILATION :
ROOM VENTILATION SHOULD BE SUFFICIENT.
PROTECTIVE GLOVES :
NOT REQUIRED.
EYE PROTECTION :
NO SPECIAL REQUIREMENTS FOR NORMAL USE.
OTHER PROTECTIVE MEASURES :
NA

FIRST AID PROCEDURES

EYE CONTACT:

FLUSH IMMEDIATELY WITH WATER FOR 15 MINUTES.
IF IRRITATION OCCURS, GET MEDICAL ATTENTION.

SKIN CONTACT:

WASH CONTAMINATED AREA WITH WARM WATER AND SOAP.

INHALATION:

REMOVE TO FRESH AIR

INGESTION:

DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

SPECIAL PRECAUTIONS

PRECAUTIONARY LABELING :

CONTAINER MAY EXPLODE IF HEATED.
KEEP OUT OF REACH OF CHILDREN.
NEVER USE ON FLOORS!

OTHER HANDLING AND STORAGE CONDITIONS :

DO NOT STORE ON OR NEAR SOURCES OF HEAT.
NEVER USE ON FLOORS.

Emergency Phone: (519) 756-7900
Canotec: (collect) (613) 996-6666

Johnson
COMMERCIAL PRODUCTS

S. C. JOHNSON AND SON, LIMITED, Brantford, Ont., Canada N3T 5R1

INGREDIENT INFORMATION**WEIGHT %****INGREDIENT**

15 - 20	ISOPARAFFINIC SOLVENT (CAS 7002-92-9) EXP. LIMITS: 400 PPM (SUPPLIER RECOMMENDED)
1 - 2	SILICONES
0.5 - 1.0	WAXES
0.6 - 1.0	SURFACTANT
65 - 70	WATER
10 - 15	HYDROCARBON PROPELLANT (CAS 75-28-5 & 74-98-6) EXP. LIMITS: 800 PPM (TLV-TWA ACGIH)

REACTIVITY DATA

STABILITY:	STABLE
CONDITIONS TO AVOID:	NONE KNOWN
INCOMPATIBILITY:	NONE KNOWN TO S.C. JOHNSON
HAZARDOUS DECOMPOSITION PRODUCTS:	NONE KNOWN TO S.C. JOHNSON
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR
CONDITIONS TO AVOID:	NA


ADDITIONAL INFORMATION

SHIPPING NAME	AEROSOL
TDG CLASSIFICATION:	9.1
PIN/NIP:	1950
PACKING GROUP:	X
PLACARD	MISC. PRODUCT
EXEMPTION NAME	CONSUMER COMMODITY
WHMIS CLASSIFICATION:	NR
CAS	

NA - NOT APPLICABLE
 ND - NO DATA AVAILABLE
 NE - NONE ESTABLISHED
 NR - NOT REGULATED

The information contained in this form is based on data from sources considered technically reliable and has been prepared in good faith in accordance with the available material. It is provided as a service to the persons using the product but conditions of use and handling may involve other and additional consideration beyond the control of S. C. Johnson & Son, Ltd. No warranty, expressed or implied, is made and S. C. Johnson & Son, Ltd. will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained in this form.

This Material Safety Data Sheet has been prepared by the Research & Development Department of S. C. Johnson & Son, Ltd., Brantford, Canada.



HEALTH HAZARD DATA

LD50 : ND
 LC50 : NA

PRIMARY ROUTE OF ENTRY: INHALATION; EYE CONTACT

EFFECTS OF ACUTE EXPOSURE :
 MAY CAUSE: EYE IRRITATION

EFFECTS OF CHRONIC EXPOSURE: ND

IRRITANCY OF PRODUCT MILDLY IRRITATING TO EYES

SENSITIZATION : NONE KNOWN TO S.C. JOHNSON
 CARCINOGENICITY : NONE KNOWN TO S.C. JOHNSON
 REPRODUCTIVE TOXICITY : NONE KNOWN TO S.C. JOHNSON
 TERATOGENICITY : NONE KNOWN TO S.C. JOHNSON
 MUTAGENICITY : NONE KNOWN TO S.C. JOHNSON

FIRE AND EXPLOSION INFORMATION

FLASH POINT (DEG C) : < -8 (TCC)
 FLAMMABLE LIMITS : ND
 AUTO-IGNITION TEMP (DEG C) : ND
 FLAMMABILITY CLASSIFICATION : FLAMMABLE AEROSOL
 EXTINGUISHING MEDIA : FOAM ; CARBON DIOXIDE ; DRY CHEMICAL ; WATER FOG

SPECIAL FIREFIGHTING PROCEDURES :

FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED AREA.
 COOL AND USE CAUTION WHEN APPROACHING CONTAINERS.

EXPLOSION DATA :

AEROSOL PRODUCT. CONTAINER MAY ROCKET OR EXPLODE IN HEAT OF FIRE.

SPILL OR LEAK PROCEDURES**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED :**

ELIMINATE ALL SOURCES OF IGNITION.
 VENTILATE SPILL AREA.
 DO NOT ALLOW MATERIAL TO ENTER WATER COURSE.
 ABSORB WITH OIL-DRI. SWEEP/SCRAPE UP. CONTAINERIZE.

WASTE DISPOSAL INFORMATION :

DO NOT PUNCTURE OR INCINERATE CONTAINER.
 OBSERVE ALL FEDERAL, PROVINCIAL AND MUNICIPAL REGULATIONS.

PHYSICAL DATA

PHYSICAL STATE: AEROSOL
 ODOUR/APPEARANCE: DISPERSED AS A CREAMY, WHITE SPRAY WITH LEMON ODOUR

ODOUR THRESHOLD: NA
 SPECIFIC GRAVITY: 0.9
 (WATER = 1.0)

VAPOUR PRESSURE: NA
 (MM HG)

VAPOUR DENSITY: NA
 (AIR = 1.0)

WATER SOLUBILITY: NEGLIGIBLE
 EVAPORATION RATE: NA
 (BUTYL ACETATE = 1.0)

BOILING POINT (DEG C) : NA
 FREEZING POINT (DEG C): NA
 PH : NA